HRSN Housing Benefits Income Limits

Baker County

Extremely Low-Income Limits (30% of Area Median Income) based on individual counties. All three of the counties we serve currently have the same income limits for all households.

Size of		
Family Unit	Annual Income	Monthly Income
1	\$18,100.00	\$1,508.34
2	\$21,150.00	\$1,762.50
3	\$26,650.00	\$2,220.83
4	\$ 32,150.00	\$2,679.17
5	\$37,650.00	\$3,137.50
6	\$43,150.00	\$3,595.83
7	\$48,650.00	\$4,054.17
8	\$54,150.00	\$4,512.50

Calculations based on the HUD FY25 Preliminary Extremely Low-Income Limits Calculation. Extremely low was established as 30% of the AMI. All data collected from

HRSN Housing Benefits Income Limits

Union County

Extremely Low-Income Limits (30% of Area Median Income) based on individual counties. All three of the counties we serve currently have the same income limits for all households.

	,	
Size of		
Family		
Unit	Annual Income	Monthly Income
1	\$17,400.00	\$1,450.00
2	\$21,150.00	\$1,762.50
3	\$26,650.00	\$2,220.83
4	\$32,150.00	\$2,679.17
5	\$37,650.00	\$3,137.50
6	\$43,150.00	\$3,595.83
7	\$48,650.00	\$4,054.17
8	\$54,150.00	\$4,512.50

Calculations based on the HUD FY25 Preliminary Extremely Low-Income Limits Calculation. Extremely low was established as 30% of the AMI. All data collected from

https://www.huduser.gov/portal/datasets/il/il2025/select_Geography.odn?STATES=41.0&statelist=41.0 &stname=Oklahoma&wherefrom=&statefp=40&year=&ne_flag=0&selection_type=&incpath=&data=202 5

HRSN Housing Benefits Income Limits

Wallowa County

Extremely Low-Income Limits (30% of Area Median Income) based on individual counties. All three of the counties we serve currently have the same income limits for all households.

Size of Family		
Unit	Annual Income	Monthly Income
1	\$17,750.00	\$1,479.17
2	\$21,150.00	\$1,762.50
3	\$26,650.00	\$2,220.83
4	\$32,150.00	\$2,679.17
5	\$37,650.00	\$3,137.50
6	\$43,150.00	\$3,595.83
7	\$48,650.00	\$4,054.17
8	\$54,150.00	\$4,512.50

Calculations based on the HUD FY25 Preliminary Extremely Low-Income Limits Calculation. Extremely low was established as 30% of the AMI. All data collected from